

ANAPHYLAXIS POLICY

Reviewed by:

Date reviewed: November 2022

Date of next review November 2023

Signature: _____

Name: _____

Position: _____



Purpose:

To explain to Mount Beauty Secondary College parents, carers, staff and students the processes and procedures in place to support students diagnosed as being at risk of suffering from anaphylaxis. This policy also ensures that Mount Beauty Secondary College is compliant with Ministerial Order 706 and the Department's guidelines for anaphylaxis management.

Scope:

This policy applies to:

- all staff, including casual relief staff and volunteers
- all students who have been diagnosed with anaphylaxis, or who may require emergency treatment for an anaphylactic reaction, and their parents and carers.

Policy:

School Statement

Mount Beauty Secondary College will fully comply with Ministerial Order 706 and the associated guidelines published by the Department of Education and Training.

Anaphylaxis

Anaphylaxis is a severe allergic reaction that occurs after exposure to an allergen. The most common allergens for school-aged children are nuts, eggs, cow's milk, fish, shellfish, wheat, soy, sesame, latex, certain insect stings and medication.

Symptoms

Signs and symptoms of a mild to moderate allergic reaction can include:

- swelling of the lips, face and eyes
- hives or welts
- tingling in the mouth.

Signs and symptoms of anaphylaxis, a severe allergic reaction, can include:

- difficult/noisy breathing
- swelling of tongue
- difficulty talking and/or hoarse voice
- wheeze or persistent cough
- persistent dizziness or collapse
- student appears pale or floppy
- abdominal pain and/or vomiting.

Symptoms usually develop within ten minutes and up to two hours after exposure to an allergen but can appear within a few minutes.

Treatment

Adrenaline given as an injection into the muscle of the outer mid-thigh is the first aid treatment for anaphylaxis.

Individuals diagnosed as being at risk of anaphylaxis are prescribed an adrenaline auto injector for use in an emergency. These adrenaline auto injectors are designed so that anyone can use them in an emergency.

Individual Anaphylaxis Management Plans

All students at Mount Beauty Secondary College who are diagnosed by a medical practitioner as being at risk of suffering from an anaphylactic reaction must have an Individual Anaphylaxis Management Plan. When notified of an anaphylaxis diagnosis, the principal of Mount Beauty Secondary College is responsible for developing a plan in consultation with the student's parents/carers.

Where necessary, an Individual Anaphylaxis Management Plan will be in place as soon as practicable after a student enrolls at Mount Beauty Secondary College and where possible, before the student's first day.

Parents and carers must:

- obtain an ASCIA Action Plan for Anaphylaxis from the student's medical practitioner and provide a copy to the school as soon as practicable
- immediately inform the school in writing if there is a relevant change in the student's medical condition and obtain an updated ASCIA Action Plan for Anaphylaxis
- provide an up-to-date photo of the student for the ASCIA Action Plan for Anaphylaxis when that Plan is provided to the school and each time it is reviewed
- provide the school with a current adrenaline auto injector for the student that has not expired;
- participate in annual reviews of the student's Plan.

Each student's Individual Anaphylaxis Management Plan must include:

- information about the student's medical condition that relates to allergies and the potential for anaphylactic reaction, including the type of allergies the student has
- information about the signs or symptoms the student might exhibit in the event of an allergic reaction based on a written diagnosis from a medical practitioner
- strategies to minimise the risk of exposure to known allergens while the student is under the care or supervision of school staff, including in the school yard, at camps and excursions, or at special events conducted, organised or attended by the school
- the name of the person(s) responsible for implementing the risk minimisation strategies, which have been identified in the Plan
- information about where the student's medication will be stored
- the student's emergency contact details
- an up-to-date ASCIA Action Plan for Anaphylaxis completed by the student's medical practitioner.

Review and updates to Individual Anaphylaxis Management Plans

A student's Individual Anaphylaxis Management Plan will be reviewed and updated on an annual basis in consultation with the student's parents/carers. The plan will also be reviewed and, where necessary, updated in the following circumstances:

- as soon as practicable after the student has an anaphylactic reaction at school
- if the student's medical condition, insofar as it relates to allergy and the potential for anaphylactic reaction, changes
- when the student is participating in an off-site activity, including camps and excursions, or at special events including fetes and concerts.

Our school may also consider updating a student's Individual Anaphylaxis Management Plan if there is an identified and significant increase in the student's potential risk of exposure to allergens at school.

Location of plans and adrenaline auto injectors

A copy of each student's Individual Anaphylaxis Management Plan will be stored with their ASCIA Action Plan for Anaphylaxis in the Allergy Buddy, located in the First Aid Room. Whilst some students keep their adrenaline auto injector on their person, medication for those that do not will be stored and labelled with their name in the Allergy Buddy, located in the First Aid Room together with adrenaline auto injectors for general use.

Risk Minimisation Strategies

Anaphylaxis is best prevented by knowing and avoiding the allergens. It is important to remember that minimisation of the risk of anaphylaxis is everyone's responsibility: including the principal and all school staff, parents, students and the broader school community.

Mount Beauty Secondary College will minimise the occurrence of anaphylactic reactions by considering students affected by anaphylaxis when completing any risk assessments. This will include the identification of triggers (allergens), the age of the student, the severity of the allergy and the different school-based environments in which the student will be exposed) into risk assessments.

The incidence of anaphylactic reactions can be minimised by staff following Risk Minimisation and Prevention Strategies for all relevant in-school and out-of-school settings, which include (but are not limited to) the following:

- During classroom activities (including class rotations, specialist and elective classes).
- between classes and other breaks.
- In the Cafeteria.
- During recess and lunchtimes.
- Before and after school.
- Camps and excursions, or at special events conducted, organised or attended by the school (e.g. class parties, elective subjects and work experience, cultural days, fetes, concerts, events at other schools, competitions or incursions).

To reduce the risk of a student suffering from an anaphylactic reaction at Example School, we have put in place the following strategies:

- staff and students are regularly reminded to wash their hands after eating;
- students are discouraged from sharing food
- garbage bins at school are to remain covered with lids to reduce the risk of attracting insects
- grabber sticks to be used when picking up papers or rubbish in the playground;
- school canteen staff are trained in appropriate food handling to reduce the risk of cross-contamination
- year groups will be informed of allergens that must be avoided in advance of class parties, events or birthdays
- Planning for off-site activities will include risk minimisation strategies for students at risk of anaphylaxis including supervision requirements, appropriate number of trained staff, emergency response procedures and other risk controls appropriate to the activity and students attending.

Adrenaline auto injectors for general use

Mount Beauty Secondary College will maintain a supply of adrenaline auto injectors for general use, as a back-up to those provided by parents and carers for specific students, and also for students who may suffer from a first time reaction at school.

Adrenaline auto injectors for general use will be stored at in the UNIVERSAL Pocket of the Allergy Buddy, located in the First Aid Room and labelled “general use”.

The principal is responsible for arranging the purchase of adrenaline auto injectors for general use, and will consider:

- the number of students enrolled at Mount Beauty Secondary College at risk of anaphylaxis
- the accessibility of adrenaline auto injectors supplied by parents
- the availability of a sufficient supply of auto injectors for general use in different locations at the school, as well as at camps, excursions and events
- the limited life span of adrenaline auto injectors, and the need for general use adrenaline auto injectors to be replaced when used or prior to expiry.

Emergency Response

In the event of an anaphylactic reaction, the emergency response procedures in this policy must be followed, together with the school’s general first aid procedures, emergency response procedures and the student’s Individual Anaphylaxis Management Plan.

A complete and up-to-date list of students identified as being at risk of anaphylaxis is maintained by the Business Manager and stored in the Office as well as the First Aid Room. For camps, excursions and special events, a designated staff member will be responsible for maintaining a list of students at risk of anaphylaxis attending the special event, together with their Individual Anaphylaxis Management Plans and adrenaline auto injectors, where appropriate.

If a student experiences an anaphylactic reaction at school or during a school activity, school staff must:

Step	Action
1.	<ul style="list-style-type: none"> • Lay the person flat • Do not allow them to stand or walk • If breathing is difficult, allow them to sit • Be calm and reassuring • Do not leave them alone • Seek assistance from another staff member or reliable student to locate the student's adrenaline auto injector or the school's general use auto injector, and the student's Individual Anaphylaxis Management Plan, stored at in the Allergy Buddy, located in the First Aid Room • If the student's plan is not immediately available, or they appear to be experiencing a first time reaction, follow steps 2 to 5
2.	Administer an Epi Pen or Epi Pen Jr (if the student is under 20kg) <ul style="list-style-type: none"> • Remove from plastic container • Form a fist around the EpiPen and pull off the blue safety release (cap) • Place orange end against the student's outer mid-thigh (with or without clothing) • Push down hard until a click is heard or felt and hold in place for 3 seconds • Remove EpiPen • Note the time the EpiPen is administered • Retain the used EpiPen to be handed to ambulance paramedics along with the time of administration
3.	Call an ambulance (000)
4.	If there is no improvement or severe symptoms progress (as described in the ASCIA Action Plan for Anaphylaxis), further adrenaline doses may be administered every five minutes, if other adrenaline auto injectors are available.
5.	Contact the student's emergency contacts.

If a student appears to be having a severe allergic reaction, but has not been previously diagnosed with an allergy or being at risk of anaphylaxis, school staff should follow steps 2 – 5 as above.

Communication Plan

This policy will be available on Mount Beauty Secondary College's website so that parents and other members of the school community can easily access information about Mount Beauty Secondary College's anaphylaxis management procedures. The parents and carers of students who are enrolled at Mount Beauty Secondary College and are identified as being at risk of anaphylaxis will also be provided with a copy of this policy.

The principal is responsible for ensuring that all relevant staff, including casual relief staff, canteen staff and volunteers are aware of this policy and Mount Beauty Secondary College's procedures for anaphylaxis management.

The principal is also responsible for ensuring relevant staff are trained and briefed in anaphylaxis management, consistent with the Department's *Anaphylaxis Guidelines*.

Raising Staff Awareness

Staff training, and the bi-annual briefing will assist staff to know how to respond to an anaphylactic reaction by a student in various environments including:

- During normal school activities including in the classroom, in the school yard, in all school buildings and sites including gymnasiums and halls.
- During off-site or out of school activities, including on excursions, school camps and at special events conducted or organised by the school.

The principal of the school will ensure that all relevant school staff are:

- Adequately trained (online training and competence test). **AND**
- Briefed at least twice per calendar year through an in-house school briefing

Casual Relief Teachers, Cafeteria staff and volunteers will be strongly encouraged to participate in the training and testing with staff and be provided with a complete and up to date list of students diagnosed as being at risk of anaphylaxis.

Raising Student Awareness

Peer support is an important element of support for students at risk of anaphylaxis. All students in Year 10 complete the HLTAID003 training by the end of that year.

School staff can raise awareness through fact sheets or posters displayed in hallways, canteens and classrooms. Class teachers can discuss the topic with students in class, with a few simple key messages such as the following:

Student messages about anaphylaxis

1. Always take food allergies seriously – severe allergies are no joke.
2. Don't share your food with friends who have food allergies.
3. Wash your hands after eating.
4. Know what your friends are allergic to.
5. If a school friend becomes sick, get help immediately even if the friend does not want you to.
6. Be respectful of a school friend's adrenaline auto injector.
7. Don't pressure your friends to eat food that they are allergic to.

It is important to be aware that a student at risk of anaphylaxis may not want to be singled out or be seen to be treated differently. Also be aware that bullying of students at risk of anaphylaxis can occur in the form of teasing, tricking a student into eating a particular food or threatening a student with the substance that they are allergic to, such as peanuts. This is not acceptable behaviour and will not be tolerated.

Talk to the students involved so they are aware of the seriousness of an anaphylactic reaction. Any attempt to harm a student diagnosed at risk of anaphylaxis must be treated as a serious and dangerous incident and dealt with in line with the school's Bullying and Harassment policy.

Schools can refer to the Bully Stoppers website, an anti-bullying resource for ideas and strategies for dealing with bullying situations. Further information about Bully Stoppers is available at:
www.education.vic.gov.au/about/programs/bullystoppers/Pages/default.aspx

Working with Parents

Parents of a child who is at risk of anaphylaxis may experience considerable anxiety about sending their child to school. It is important to develop an open and cooperative relationship with them so that they can feel confident that appropriate management strategies are in place at school.

Aside from implementing practical risk minimisation strategies in schools, the anxiety that parents and students may feel can be considerably reduced by regular communication and increased education, awareness and support from the school community.

Raising School Community Awareness

Schools are encouraged to raise awareness about anaphylaxis in the school community so that there is an increased understanding of the condition. This can be done by providing information in the school newsletter, on the school website, at assemblies or parent information sessions.

Staff training

The principal will ensure that the following school staff are appropriately trained in anaphylaxis management:

- School staff who conduct classes attended by students who are at risk of anaphylaxis
- All school teaching staff and Education Support Staff (including Admin Staff) will complete the Australasian Society of Clinical Immunology and Allergy (ASCI) e-training course. Their competency in using an auto injector (e.g. EpiPen) will then be tested in person by the school's School Anaphylaxis Supervisors within 30 days of completing the course.

- Mount Beauty Secondary College's Casual Relief Teachers (CRTs), Cafeteria staff and volunteers will be strongly encouraged to participate in the e-training and auto injector competency session with staff, or organise a time that suits them.

Staff who are required to undertake training must have completed:

- an approved face-to-face anaphylaxis management training course in the last three years, or
- an approved online anaphylaxis management training course in the last two years.

Mount Beauty Secondary College uses the following training course *ASCIA Anaphylaxis e-training for Victorian Schools* followed by a competency check by the School Anaphylaxis Supervisor. This course is provided by ASCIA, and valid for 2 years.

Two staff complete the School Anaphylaxis Supervisor Course *in Verifying the Correct Use of Adrenaline Auto injector Devices 22303VIC*. This course is provided by the Asthma Foundation, and is valid for 3 years.

Staff are also required to attend a briefing on anaphylaxis management and this policy at least twice per year (with the first briefing to be held at the beginning of the school year), facilitated by a staff member who has successfully completed an anaphylaxis management course within the last 2 years including School Anaphylaxis Supervisor. Each briefing will address:

- this policy
- the causes, symptoms and treatment of anaphylaxis
- the identities of students with a medical condition that relates to allergies and the potential for anaphylactic reaction, and where their medication is located
- how to use an adrenaline auto injector, including hands on practice with a trainer adrenaline auto injector
- the school's general first aid and emergency response procedures
- the location of, and access to, adrenaline auto injectors that have been provided by parents or purchased by the school for general use.

When a new student enrolls at Mount Beauty Secondary College who is at risk of anaphylaxis, the principal will develop an interim plan in consultation with the student's parents and ensure that appropriate staff are trained and briefed as soon as possible.

The principal will ensure that while students at risk of anaphylaxis are under the care or supervision of the school outside of normal class activities, including in the school yard, at camps and excursions, or at special event days, there is a sufficient number of school staff present who have been trained in anaphylaxis management.

Further Information and Resources:

- School Policy and Advisory Guide:
 - [Anaphylaxis](#)
 - [Anaphylaxis management in schools](#)
- Allergy & Anaphylaxis Australia: [Risk minimisation strategies](#)
- ASCIA Guidelines: [Schooling and childcare](#)
- Royal Children's Hospital: [Allergy and immunology](#)

Review Cycle:

This policy was last updated on November 2022 and is scheduled for review in November 2023.

The principal will complete the Department's Annual Risk Management Checklist for anaphylaxis management to assist with the evaluation and review of this policy and the support provided to students at risk of anaphylaxis.